

Strictly Confidential: (For Internal and Restricted use only)
Class : X Secondary School Term II Examination, 2022
Marking Scheme – Science SUBJECT CODE -086
[Paper Code : 31/4/1]

General Instructions :

1. You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2. **“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its’ leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc may invite action under IPC.”**
3. Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and marks be awarded to them. In class-X, while evaluating two competency based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, marks should be awarded.**
4. The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
5. Evaluators will mark($\checkmark$) wherever answer is correct. For wrong answer ‘X’ be marked. Evaluators will not put right kind of mark while evaluating which gives an impression that answer is correct and no marks are awarded. **This is most common mistake which evaluators are committing.**
6. If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
7. If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
8. If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out.
9. No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
10. A full scale of marks **40** has to be used. Please do not hesitate to award full marks if the answer deserves it.
11. Every examiner has to necessarily do evaluation work for full working hours i.e. 8 hours every day and evaluate 30 answer books per day in main subjects and 35 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.
12. Ensure that you do not make the following common types of errors committed by the Examiner in the past:-


- Leaving answer or part thereof unassessed in an answer book.
 - Giving more marks for an answer than assigned to it.
 - Wrong totalling of marks awarded on a reply.
 - Wrong transfer of marks from the inside pages of the answer book to the title page.
 - Wrong question wise totalling on the title page.
 - Wrong totalling of marks of the two columns on the title page.
 - Wrong grand total.
 - Marks in words and figures not tallying.
 - Wrong transfer of marks from the answer book to online award list.
 - Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
 - Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
13. While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
 14. Any unassessed portion, non-carrying over of marks to the title page, or totaling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
 15. The Examiners should acquaint themselves with the guidelines given in the Guidelines for spot Evaluation before starting the actual evaluation.
 16. Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
 17. The Board permits candidates to obtain photocopy of the Answer Book on request in an RTI application and also separately as a part of the re-evaluation process on payment of the processing charges.

MARKING SCHEME
SECONDARY SCHOOL EXAMINATION TERM-II, 2022
SUBJECT : SCIENCE CODE-086
[PAPER CODE : 31/4/1]


Instructions:-

- The marking scheme carries only suggested value points for the answers.
- These are only guidelines and do not constitute the complete answer.
- The students can have their own expression and if the expression is correct, the marks are awarded accordingly.

Maximum Marks : 40

Q. No.	EXPECTED ANSWER / VALUE POINTS	Marks	Total Marks
	SECTION—A		
1.	On moving from left to right in a period, the increase in nuclear charge tends to pull electrons closer to the nucleus and reduces the size of the atom, whereas in a group moving from top to bottom new shells are being added which increases the distance between the outermost electrons and the nucleus, hence increases the size of the atom.	1, 1	2
2.	(a) • Rod AB would get displaced • Reason: When a current carrying conductor is placed in an external magnetic field perpendicularly, it experiences a force. (b) As current and magnetic field are parallel, there will be no force experienced by the conductor hence no displacement in rod. OR • Field lines emerge from the north pole and merge at south pole/the direction in which a north pole of the compass needle moves inside it. • The relative strength of the magnetic field is shown by the degree of closeness of the field lines. Crowded are the field lines, stronger is the field. OR diagrammatic expression. 	½ ½ 1 1 1	2
3.	• The plants have genes which have the ability to produce enzyme for growth. If enzymes are efficient more growth hormone are produced thus plant grow in length..	1	

3.	If the gene for that enzyme has an alteration that makes the enzyme less efficient, the amount of hormone produced will be less and a plant will be short. OR Red Red F₁ Rr X Rr R ↓ r <table><tr><td>R</td><td>RR</td><td>Rr</td></tr><tr><td>r</td><td>Rr</td><td>rr</td></tr></table> 75%—Red (RR and Rr) flowers 25%—White flowers (rr) OR Ratio—3 : 1 Red : White	R	RR	Rr	r	Rr	rr	1
R	RR	Rr						
r	Rr	rr						

	In <i>Leishmania</i>, binary fission occurs in definite orientation in relation to its whip like structure. (b) Malarial parasite/<i>Plasmodium</i> divides into many daughter cells simultaneously by multiple fission.	$\frac{1}{2}$ 1	2
7.	(a) One double bond (b) C_2H_2 (c) C_6H_6 (d) C_3H_8	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	2
SECTION—B			
8.	- Hydrogen and Oxygen - He selected hydrogen and oxygen as they are very reactive and formed compound with most of the elements. - The formulae of hydrides and oxides formed by an element were treated as one of the basic properties of an element for its classification.	1 1 1	3
9.	- Every step or level of the food chain forms a trophic level. - Autotrophs are the green plants, which are the only organisms which can fix up the solar energy and make it available for heterotrophs or the consumers. - Very little amount of energy is available to the last trophic level as energy is lost at every level to the environment.	1 1 1	3
10.	After the pollen lands on a suitable stigma, it has to reach the female germ cells which is located in the ovary. For this a tube grows out of the pollen grain and travels through the style to reach the ovary.  Germination of pollen on stigma Labelling: pollen tube/ ovary/ male germ cell (any two labelling)	1 1 $\frac{1}{2}, \frac{1}{2}$	3

11.	- In diamond, each carbon atom is bonded to four other carbon atoms forming a rigid three dimensional structure. This makes diamond the hardest substance known. - In graphite, each carbon atom is bonded to three other carbon atoms in same plane giving a hexagonal array being placed in layers one above the other this makes graphite a smooth and slippery substance. - Both diamond and graphite are composed of carbon, therefore their chemical properties are same. / Both are allotropic form of Carbon. OR	1	
11.	(i) If carbon atom loses four electrons forming C^{4+} cation, it would require a large amount of energy to remove four electrons leaving behind a carbon cation with six protons in its nucleus holding two electrons. (ii) If carbon atom gains four electrons forming C^{4-} anion, it would be difficult for a nucleus with six protons to hold on ten electrons, that is four extra electrons. Carbon atom overcomes this problem by sharing its valence electrons with other atoms of carbon or with atoms of other elements.	1	
		1	
		1	
		1	3
12.	(a) • These appliances/gadgets should be connected in parallel. Justification: - These gadgets need current of widely different values to operate properly. - independent switching can be done for different appliances. - If any component fails, other gadgets may function. - All gadgets get the required voltage for their operation. - Effective resistance decreases hence heat loss minimizes. (any three) (b) • It is a device which protects the circuit/appliance by stopping the flow of any unduly high current / safety device in electrical circuit. - It is connected in series with the device.	½	
		½ x 3	
		½	
		½	3
13.	Power (P) = 1100 W, V = 220 V (i) Current drawn $= I = \frac{P}{V}$ $= \frac{1100 \text{ W}}{220 \text{ V}} = 5 \text{ A}$ (ii) $E = P \times t$	½	
		½	
		½	

	(b) There would be no deflection in the galvanometer because there is no induced current flowing in galvanometer as there is no relative motion between the magnet and the coil and no change in magnetic field associated with coil. (c) - The relative motion of a magnet and coil produces an induced potential difference which sets up an induced current in the circuit and it lasts so long the relative motion is there. - Momentary deflection will be there with increased magnitude. OR - It is a process by which a changing magnetic field in a conductor induces current in another conductor. - No deflection in galvanometer As there is no relative motion between the coil and magnet which leads to no change in magnetic field associated with coil hence no induced current generates.	1 1 1 $\frac{1}{2}, \frac{1}{2}$	4
15.	(a) - X chromosome is of normal size and Y chromosome is short / Y chromosome is shorter than X chromosome. - XY pair of chromosomes (b) - One pair of sex chromosomes - mother/female has perfect pair of chromosomes (c) - In reptiles, the temperature at which fertilized eggs are kept determines whether the animals developing in the eggs would be a male or a female. - In snails, they can change their sex during their lifetime. OR Parents XY Male Gametes X Y XX Female Gametes X Zygote XX ↓ Offsprings Female XY ↓ Male	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ 1 1 $\frac{1}{2} \times 4$	4

* * *

Strictly Confidential: (For Internal and Restricted use only)
Class : X Secondary School Term II Examination, 2022
Marking Scheme – Science SUBJECT CODE -086
[Paper Code : 31/4/2]

General Instructions: -

1. You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2. **“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its’ leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc may invite action under IPC.”**
3. Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and marks be awarded to them. In class-X, while evaluating two competency based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, marks should be awarded.**
4. The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
5. Evaluators will mark($\checkmark$) wherever answer is correct. For wrong answer ‘X’ be marked. Evaluators will not put right kind of mark while evaluating which gives an impression that answer is correct and no marks are awarded. **This is most common mistake which evaluators are committing.**
6. If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totaled up and written in the left-hand margin and encircled. This may be followed strictly.
7. If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
8. If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out.
9. No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
10. A full scale of marks **40** has to be used. Please do not hesitate to award full marks if the answer deserves it.
11. Every examiner has to necessarily do evaluation work for full working hours i.e. 8 hours every day and evaluate 30 answer books per day in main subjects and 35 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.

12. Ensure that you do not make the following common types of errors committed by the Examiner in the past:-
- Leaving answer or part thereof unassessed in an answer book.
 - Giving more marks for an answer than assigned to it.
 - Wrong totalling of marks awarded on a reply.
 - Wrong transfer of marks from the inside pages of the answer book to the title page.
 - Wrong question wise totalling on the title page.
 - Wrong totalling of marks of the two columns on the title page.
 - Wrong grand total.
 - Marks in words and figures not tallying.
 - Wrong transfer of marks from the answer book to online award list.
 - Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
 - Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
13. While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
14. Any unassessed portion, non-carrying over of marks to the title page, or totaling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
15. The Examiners should acquaint themselves with the guidelines given in the Guidelines for spot Evaluation before starting the actual evaluation.
16. Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totaled and written in figures and words.
17. The Board permits candidates to obtain photocopy of the Answer Book on request in an RTI application and also separately as a part of the re-evaluation process on payment of the processing charges.

MARKING SCHEME
SECONDARY SCHOOL EXAMINATION TERM–II, 2022
SUBJECT : SCIENCE CODE – 086
[PAPER CODE : 31/4/2]


Instructions:-



- The marking scheme carries only suggested value points for the answers.
- These are only guidelines and do not constitute the complete answer.
- The students can have their own expression and if the expression is correct, the marks are awarded accordingly.

Maximum Marks : 40

Q. No.	EXPECTED ANSWER / VALUE POINTS	Marks	Total Marks								
	SECTION—A										
1.	(a) Placenta—Helps in the transportation of glucose and oxygen from the mother to the embryo/ removal of waste (b) Egg is carried from the ovary to uterus/ site of fertilisation (c) Helps in the development of embryo/ implantation (d) Production of female gamete or ovum/secretion of female sex hormone	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	2								
2.	• The plants have genes that have information to produce enzyme for growth, a lot of hormone is produced, a plant will be tall. • If the gene for that enzyme has an alteration that makes the enzyme less efficient, the amount of hormone produced will be less and a plant will be short.	1 1									
2.	OR Red Red F_1 Rr X Rr R ↓ r <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td>F_2</td> <td>R</td> <td>RR</td> <td>Rr</td> </tr> <tr> <td></td> <td>r</td> <td>Rr</td> <td>rr</td> </tr> </table> 75%—Red (RR and Rr) flowers 25%—White flowers (rr) OR Ratio—3 : 1 Red : White	F_2	R	RR	Rr		r	Rr	rr	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	2
F_2	R	RR	Rr								
	r	Rr	rr								

3.	(a) CH_3OH (b) C_3H_4 (c) HCOOH (d) C_nH_{2n}	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	2
4.	- Improvement in lifestyle has led to large consumption of resources - Demand for things with disposable nature increases the non-biodegradable wastes like plastics, metal cans etc. (or any other) OR	1 1	
4.	- The demand for increasing the shelf life of products and transporting goods over large distances is increasing, so the plastics / polyethene packing is preferred. - Less use of biodegradable products such as paper bag, cloth bag etc. (or any other)	1 1	2
5.	- The process in which an individual is cut or broken up into many pieces and many of these pieces grow into separate individual. - In Planaria regeneration is carried out by specialised cells, these cells proliferate, develop and differentiate into various cell types and tissues. (explanation with diagram will be awarded full marks.)	1 1	2
6.	(a) - Rod AB would get displaced - Reason: When a current carrying conductor is placed in an external magnetic field perpendicularly, it experiences a force. (b) As current and magnetic field are parallel, there will be no force experienced by the conductor hence no displacement in rod.	$\frac{1}{2}$ $\frac{1}{2}$ 1	
6.	OR - Field lines emerge from the north pole and merge at south pole/the direction in which a north pole of the compass needle moves inside it. - The relative strength of the magnetic field is shown by the degree of closeness of the field lines. Crowded are the field lines, stronger is the field. Or diagrammatic expression.	1 1	

			2
7.	Properties of elements are a periodic function of their atomic number ‘18’ vertical columns called groups ‘7’ horizontal rows are known as periods	1 ½ ½	2
	SECTION—B		
8.	Power (P) = 1100 W, V = 220 V (i) Current drawn $= I = \frac{P}{V}$ $= \frac{1100 \text{ W}}{220 \text{ V}} = 5 \text{ A}$ (ii) $E = P \times t$ $= 1100 \text{ W} \times 5 \text{ h} \times 6 = 33000 \text{ Wh}$ (iii) Cost of one commercial unit = ₹ 5 Energy consumed = 33 kWh = 33 unit = $118.8 \times 10^6 \text{ J}$ Cost of 33 unit = $33 \times 5 = ₹ 165$ OR 8. (i) Effective resistance of the circuit $R_s = R_3 + R_4 = 4\Omega + 6\Omega = 10\Omega$ $\frac{1}{R_p} = \frac{1}{R_s} + \frac{1}{R_2} = \frac{1}{10\Omega} + \frac{1}{10\Omega} = \frac{2}{10\Omega} = \frac{1}{5\Omega}$ $R_p = 5\Omega$ Total resistance of the circuit = $R_1 + R_p + R_5 = 5 + 5 + 10 = 20\Omega$	½ ½ ½ ½ ½ ½ ½	

	(ii) Current drawn from the battery $V = 20V, R = 20\Omega$ $I = \frac{V}{R} = \frac{20V}{20\Omega}$ $I = 1 \text{ A}$ (iii) Reading in voltmeter connected across 5Ω Resistance $V = IR$ $I = 1 \text{ A}$ $R = 5\Omega$ $V = 1 \text{ A} \times 5\Omega = 5 \text{ V}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	3
9.	Electric circuit  Diagram making Any two labelling Potential difference (V) directly proportional to the current (I). 	1 $\frac{1}{2}$, $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	3
10.	In diamond, each carbon atom is bonded to four other carbon atoms forming a rigid three dimensional structure. This makes diamond the hardest substance known.	1	

10.	- In graphite, each carbon atom is bonded to three other carbon atoms in same plane giving a hexagonal array being placed in layers one above the other this makes graphite a smooth and slippery substance. - Both diamond and graphite are composed of carbon, therefore their chemical properties are same. / Both are allotropic form of Carbon. OR (i) If carbon atom loses four electrons forming C^{4+} cation, it would require a large amount of energy to remove four electrons leaving behind a carbon cation with six protons in its nucleus holding two electrons. (ii) If carbon atom gains four electrons forming C^{4-} anion, it would be difficult for a nucleus with six protons to hold on ten electrons, that is four extra electrons. - Carbon atom overcomes this problem by sharing its valence electrons with other atoms of carbon or with atoms of other elements.	1 1 1 1 1	3
11.	After the pollen lands on a suitable stigma, it has to reach the female germ cells which is located in the ovary. For this a tube grows out of the pollen grain and travels through the style to reach the ovary. Germination of pollen on stigma Labelling: pollen tube/ ovary/ male germ cell (any two labelling)	1 1 ½ , ½	3
12.	- Hydrogen and Oxygen - He selected hydrogen and oxygen as they are very reactive and formed compound with most of the elements. - The formulae of hydrides and oxides formed by an element were treated as one of the basic properties of an element for its classification.	1 1 1	3

13.	Diagram (Can be shown with the help of food chain starting from sun) <i>Inferences:</i> • Flow of energy is unidirectional • Sun is the ultimate source of energy. • Energy available at each trophic level gets diminished progressively due to loss of energy at each level. • Every food chain starts with producers. (Or any other inference) (any two)	1	
	SECTION—C		
14.	(a) • Galvanometer is used to detect the presence of current along with its direction. • Needle deflects momentarily due to momentary change in magnetic field associated with the coil due to which current induces. (b) When coil moves towards the magnet, the magnetic field passing through coil changes and a current is induced in the coil due to which deflection is observed in galvanometer. (c) • The relative motion of a magnet and coil produces an induced potential difference which sets up an induced current in the circuit and it lasts so long the relative motion is there. • Momentary deflection will be there with increased magnitude. OR • It is a process by which a changing magnetic field in a conductor induces current in another conductor.	½ ½ 1 1 1 1	

	No deflection in galvanometer As there is no relative motion between the coil and magnet which leads to no change in magnetic field associated with coil hence no induced current generates.	$\frac{1}{2}, \frac{1}{2}$	4																				
15.	(a) - X chromosome is of normal size and Y chromosome is short / Y chromosome is shorter than X chromosome. - XY pair of chromosomes (b) 44 chromosomes or 22 pairs of chromosomes, male / father (c) - In reptiles, the temperature at which fertilized eggs are kept determines whether the animals developing in the eggs would be a male or a female. - In snails, they can change their sex during their lifetime. OR <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 15%;">Parents</td> <td style="width: 15%; text-align: center;">XY</td> <td style="width: 15%; text-align: center;">XX</td> <td style="width: 15%;"></td> </tr> <tr> <td></td> <td style="text-align: center;">Male</td> <td style="text-align: center;">Female</td> <td></td> </tr> <tr> <td>Gametes</td> <td style="text-align: center;">X Y</td> <td style="text-align: center;">X</td> <td></td> </tr> <tr> <td>Zygote</td> <td style="text-align: center;">XX</td> <td style="text-align: center;">XY</td> <td></td> </tr> <tr> <td>Offsprings</td> <td style="text-align: center;">↓ Female</td> <td style="text-align: center;">↓ Male</td> <td></td> </tr> </table>	Parents	XY	XX			Male	Female		Gametes	X Y	X		Zygote	XX	XY		Offsprings	↓ Female	↓ Male		$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ 1 1 $\frac{1}{2} \times 4$	4
Parents	XY	XX																					
	Male	Female																					
Gametes	X Y	X																					
Zygote	XX	XY																					
Offsprings	↓ Female	↓ Male																					

* * *

Strictly Confidential: (For Internal and Restricted use only)

Class : X Secondary School Term II Examination, 2022

Marking Scheme – Science SUBJECT CODE -086

[Paper Code : 31/4/3]

1. You are aware that evaluation is the most important process in the actual and correct assessment of the candidates. A small mistake in evaluation may lead to serious problems which may affect the future of the candidates, education system and teaching profession. To avoid mistakes, it is requested that before starting evaluation, you must read and understand the spot evaluation guidelines carefully.
2. **“Evaluation policy is a confidential policy as it is related to the confidentiality of the examinations conducted, Evaluation done and several other aspects. Its’ leakage to public in any manner could lead to derailment of the examination system and affect the life and future of millions of candidates. Sharing this policy/document to anyone, publishing in any magazine and printing in News Paper/Website etc may invite action under IPC.”**
3. Evaluation is to be done as per instructions provided in the Marking Scheme. It should not be done according to one’s own interpretation or any other consideration. Marking Scheme should be strictly adhered to and religiously followed. **However, while evaluating, answers which are based on latest information or knowledge and/or are innovative, they may be assessed for their correctness otherwise and marks be awarded to them. In class-X, while evaluating two competency based questions, please try to understand given answer and even if reply is not from marking scheme but correct competency is enumerated by the candidate, marks should be awarded.**
4. The Head-Examiner must go through the first five answer books evaluated by each evaluator on the first day, to ensure that evaluation has been carried out as per the instructions given in the Marking Scheme. The remaining answer books meant for evaluation shall be given only after ensuring that there is no significant variation in the marking of individual evaluators.
5. Evaluators will mark($\sqrt{\quad}$) wherever answer is correct. For wrong answer ‘X’ be marked. Evaluators will not put right kind of mark while evaluating which gives an impression that answer is correct and no marks are awarded. **This is most common mistake which evaluators are committing.**
6. If a question has parts, please award marks on the right-hand side for each part. Marks awarded for different parts of the question should then be totalled up and written in the left-hand margin and encircled. This may be followed strictly.
7. If a question does not have any parts, marks must be awarded in the left-hand margin and encircled. This may also be followed strictly.
8. If a student has attempted an extra question, answer of the question deserving more marks should be retained and the other answer scored out.
9. No marks to be deducted for the cumulative effect of an error. It should be penalized only once.
10. A full scale of marks **40** has to be used. Please do not hesitate to award full marks if the answer deserves it.
11. Every examiner has to necessarily do evaluation work for full working hours i.e. 8 hours every day and evaluate 30 answer books per day in main subjects and 35 answer books per day in other subjects (Details are given in Spot Guidelines). This is in view of the reduced syllabus and number of questions in question paper.
12. Ensure that you do not make the following common types of errors committed by the Examiner in the past:-
 - Leaving answer or part thereof unassessed in an answer book.
 - Giving more marks for an answer than assigned to it.
 - Wrong totalling of marks awarded on a reply.

- Wrong transfer of marks from the inside pages of the answer book to the title page.
 - Wrong question wise totalling on the title page.
 - Wrong totalling of marks of the two columns on the title page.
 - Wrong grand total.
 - Marks in words and figures not tallying.
 - Wrong transfer of marks from the answer book to online award list.
 - Answers marked as correct, but marks not awarded. (Ensure that the right tick mark is correctly and clearly indicated. It should merely be a line. Same is with the X for incorrect answer.)
 - Half or a part of answer marked correct and the rest as wrong, but no marks awarded.
13. While evaluating the answer books if the answer is found to be totally incorrect, it should be marked as cross (X) and awarded zero (0) Marks.
14. Any unassessed portion, non-carrying over of marks to the title page, or totalling error detected by the candidate shall damage the prestige of all the personnel engaged in the evaluation work as also of the Board. Hence, in order to uphold the prestige of all concerned, it is again reiterated that the instructions be followed meticulously and judiciously.
15. The Examiners should acquaint themselves with the guidelines given in the Guidelines for spot Evaluation before starting the actual evaluation.
16. Every Examiner shall also ensure that all the answers are evaluated, marks carried over to the title page, correctly totalled and written in figures and words.
17. The Board permits candidates to obtain photocopy of the Answer Book on request in an RTI application and also separately as a part of the re-evaluation process on payment of the processing charges.


MARKING SCHEME
SECONDARY SCHOOL EXAMINATION TERM-II, 2022
SUBJECT : SCIENCE CODE-086
[PAPER CODE : 31/4/3]

Instructions:-


- The marking scheme carries only suggested value points for the answers.
- These are only guidelines and do not constitute the complete answer.
- The students can have their own expression and if the expression is correct, the marks are awarded accordingly.

Maximum Marks : 40

Q. No.	EXPECTED ANSWER / VALUE POINTS	Marks	Total Marks
	SECTION—A		
1.	In binary fission, the parent organism divides/splits into two cells/two equal halves during divisions. e.g., <i>Amoeba/Leishmania/Paramecium</i> (any one example) In multiple fission, the parent organism divides into many daughter cells simultaneously. e.g., <i>Plasmodium</i> (any one example)	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	2
2.	• Improvement in lifestyle has led to large consumption of resources • Demand for things with disposable nature increases the non-biodegradable wastes like plastics, metal cans etc. (or any other) OR	1	
2.	• The demand for increasing the shelf life of products and transporting goods over large distances is increasing, so the plastics / polyethene packing is preferred. • Less use of biodegradable products such as paper bag, cloth bag etc. (or any other)	1	
		1	2
3.	(a) • Rod AB would get displaced • Reason: When a current carrying conductor is placed in an external magnetic field perpendicularly, it experiences a force. (b) As current and magnetic field are parallel, there will be no force experienced by the conductor hence no displacement in rod.	$\frac{1}{2}$ $\frac{1}{2}$ 1	

3.	OR - Field lines emerge from the north pole and merge at south pole/the direction in which a north pole of the compass needle moves inside it. - The relative strength of the magnetic field is shown by the degree of closeness of the field lines. Crowded are the field lines, stronger is the field. Or diagrammatic expression. 	1	1	2		
4.	Criteria (i) Group- valence electrons (ii) Period- number of shells - Group -16 - Period -3rd	½	½	½	½	2
5.	(a) One double bond (b) C₂H₂ (c) C₆H₆ (d) C₃H₈	½	½	½	½	2
6.	(a) CH₃CHO (b) C_nH_{2n-2} (c) C₂H₂ (d) CH₃OH	½	½	½	½	2
7.	- The plants have genes that have information to produce enzyme for growth, a lot of hormone is produced, a plant will be tall. - If the gene for that enzyme has an alteration that makes the enzyme less efficient, the amount of hormone produced will be less and a plant will be short.	1	1			

9.	Energy consumed = 33 kWh = 33 unit = 118.8×10^6 J Cost of 33 unit = $33 \times 5 = ₹ 165$ OR (i) Effective resistance of the circuit $R_s = R_3 + R_4 = 4\Omega + 6\Omega = 10\Omega$ $\frac{1}{R_p} = \frac{1}{R_s} + \frac{1}{R_2} = \frac{1}{10\Omega} + \frac{1}{10\Omega} = \frac{2}{10\Omega} = \frac{1}{5\Omega}$ $R_p = 5\Omega$ Total resistance of the circuit = $R_1 + R_p + R_5 = 5 + 5 + 10 = 20\Omega$ (ii) Current drawn from the battery $V = 20V, R = 20\Omega$ $I = \frac{V}{R} = \frac{20V}{20\Omega}$ $I = 1 \text{ A}$ (iii) Reading in voltmeter connected across 5Ω Resistance $V = IR$ $I = 1 \text{ A}$ $R = 5\Omega$ $V = 1 \text{ A} \times 5\Omega = 5 \text{ V}$	$\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{2}$	3
10.	- Hydrogen and Oxygen - He selected hydrogen and oxygen as they are very reactive and formed compound with most of the elements. - The formulae of hydrides and oxides formed by an element were treated as one of the basic properties of an element for its classification.	1 1 1	3
11.	- Chlorofluoro carbons (CFCs) - Aerosols / Refrigerants / fire extinguishers i) Chlorofluoro carbon chemicals damage ozone layer / depletion of ozone layer	1 1	

	ii) UV radiations reaching earth's surface can cause damage to organisms / skin cancer in humans.	$\frac{1}{2} + \frac{1}{2}$	3
12.	After the pollen lands on a suitable stigma, it has to reach the female germ cells which is located in the ovary. For this a tube grows out of the pollen grain and travels through the style to reach the ovary.  Germination of pollen on stigma Labelling: pollen tube/ ovary/ male germ cell (any two labelling)	1 1 $\frac{1}{2}, \frac{1}{2}$	3
13.	• In diamond, each carbon atom is bonded to four other carbon atoms forming a rigid three dimensional structure. This makes diamond the hardest substance known. • In graphite, each carbon atom is bonded to three other carbon atoms in same plane giving a hexagonal array being placed in layers one above the other this makes graphite a smooth and slippery substance. • Both diamond and graphite are composed of carbon, therefore their chemical properties are same. / Both are allotropic form of Carbon. OR	1 1 1	
13.	(i) If carbon atom loses four electrons forming C^{4+} cation, it would require a large amount of energy to remove four electrons leaving behind a carbon cation with six protons in its nucleus holding two electrons. (ii) If carbon atom gains four electrons forming C^{4-} anion, it would be difficult for a nucleus with six protons to hold on ten electrons, that is four extra electrons. • Carbon atom overcomes this problem by sharing its valence electrons with other atoms of carbon or with atoms of other elements.	1 1 1	3
	SECTION—C		
14.	(a) • A galvanometer is an instrument that can detect the presence of a current in a circuit. • Induced current that flows in the coil and the galvanometer.	$\frac{1}{2} + \frac{1}{2}$	

	(b) There would be no deflection in the galvanometer because there is no induced current flowing in galvanometer as there is no relative motion between the magnet and the coil and no change in magnetic field associated with coil. (c) - The relative motion of a magnet and coil produces an induced potential difference which sets up an induced current in the circuit and it lasts so long the relative motion is there. - Momentary deflection will be there with increased magnitude. OR (c) - It is a process by which a changing magnetic field in a conductor induces current in another conductor. - No deflection in galvanometer As there is no relative motion between the coil and magnet which leads to no change in magnetic field associated with coil hence no induced current generates.	1 1 1 1 $\frac{1}{2}, \frac{1}{2}$	4
15.	(a) 50% male and 50% female/ 1:1 male and female / equal probability of male and female (b) - One pair of sex chromosomes - mother/female has perfect pair of chromosomes (c) - In reptiles, the temperature at which fertilized eggs are kept determines whether the animals developing in the eggs would be a male or a female. - In snails, they can change their sex during their lifetime. OR (c) Parents Gametes Zygote Offsprings XY Male X Y XX XY ↓ ↓ Female Male XX Female X XX XY ↓ ↓ Female Male	1 $\frac{1}{2}$ $\frac{1}{2}$ 1 1 $\frac{1}{2} \times 4$	4

* * *